



## Hospitality Program / G7


### Brand Approved

Designed for hospitality, G7 reflects vibrant energy, each pattern integrates dynamic movement and angular elements, neutral tones and accent colours create a warm and inviting space.





**P19165 Corridor**



**IN159 Guest Room**



**NA46 Rubber Wall Base  
Guestroom/Corridor**




**Luxury Vinyl Plank  
Dario/ Foxridge**



Construction: Infinity Tip Shear  
Yarn Content: 100% Nylon  
Dye Method: Solution Dyed  
Gauge: 1/10th  
Width: 12'  
Yarn Weight Tufted: 32oz  
Stitch Rate: 12 SPI  
Primary Backing: Woven Polypropylene  
Secondary Backing: Action Bac  
Pile Height: .250"  
Total Thickness: .375"  
Pattern Repeat: 72" x 72"

Flame Resistance: Passes DOC FF-1-70  
Static Control: Less than 3.5 KV  
Flooring Radiant Panel: Class 1 (ASTM 648)  
Smoke Density: Less than .450 (ASTM E622)  
Soil Resistance: Commercial Anti-Soil Protection  
Stain Resistance: Stain Protection  
Warranties Wear: 10 Year Limited

Style#: IN159 Broadloom Guest Room  
/ Minimum order 1200 Yds



Custom colors available, contact your rep.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.



Construction:	Patterned Cut Pile
Yarn Content:	Type 6 Nylon
Dye Method:	Solution Dyed
Gauge:	1/10th
Width:	12'
Yarn Weight Tufted:	36oz
Stitch Rate:	13 SPI
Primary Backing:	Woven Polypropylene
Secondary Backing:	Woven Polypropylene
Pile Height:	.25
Total Thickness:	.375 Approx "
Pattern Repeat:	60" x 62"
Flame Resistance:	Passes DOC FF-1-70
Static Control:	Less than 3.5 KV
Flooring Radiant Panel:	Class 1 (ASTM 648)
Smoke Density:	Less than .450 (ASTM E622)
Soil Resistance:	Commercial Anti-Soil Protection
Stain Resistance:	Stain Protection
Warranties Wear:	10 Year Limited

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

All Specifications subject to normal manufacturing tolerance.

Style#: P19165 Broadloom Corridor



For other public area options  
contact your rep.



## PRODUCT SPECIFICATIONS

**PLANK SIZE:** 7" x 48" Inches

**CORE:** SPC

**TOTAL THICKNESS:** 5.5mm w/1.5mm EVA high density pad

**WEAR LAYER:** 20mil

**PACKAGING:** 10 PCS/BOX, 23.64 SQFT/BOX, 65 BOXES/PALLET, 1536.6 SQFT/PALLET  
16 PALLETS/ TRUCKLOAD 24,585.6 SQFT

**WEIGHTS:** 40.47 Lbs Per Carton / 2631 Lbs per Pallet

**INSTALLATION:** Click System

**WARRANTY: RESIDENTIAL:** 30 Year Limited

**LIGHT COMMERCIAL:** 10 Year Limited



Style: **Dario**  
Luxury Vinyl Plank



COLOR: Foxridge